

Tobacco Facts – Why Tobacco-Cigarettes, Smokeless Tobacco, and Snuff Damage Your Health

Tobacco Affects Your Body's Development. Smoking is particularly harmful for teens because your body is still growing and changing. The 200 known poisons in cigarette smoke affect your normal development and can cause life-threatening diseases, such as chronic bronchitis, heart disease, and stroke.

Tobacco is Addictive. Cigarettes contain nicotine—a powerfully addictive substance. The younger a person starts smoking, the more likely he/she is to become strongly addicted to nicotine. Even though it is rare, addiction can occur after smoking as few as 100 cigarettes. Of the adult tobacco users, more than 80 percent report using tobacco regularly before age 18.

Tobacco Can Kill You. Each year in the United States, cigarette smoking accounts for 440,000 deaths. More deaths are caused each year by tobacco than by all deaths from HIV, illegal drug use, alcohol use, motor vehicle injuries, suicides, and murder combined.

Before You Risk It...

Know the Law. It is illegal for anyone under 18 to buy cigarettes, smokeless tobacco, or tobacco-related products.

Stay Informed. Addiction to tobacco is hard to control. Young people often underestimate the addictiveness of tobacco and the effect of tobacco use on their health. Studies indicate that most teenage and young adult smokers want to quit and try to do so, but few succeed.

Keep your Edge. The poisons in cigarettes can affect your appearance. Tobacco stains teeth and nails and, also, dulls skin and hair. There's more! Research confirms smoking causes skin to age prematurely—*wrinkles*—and also links smoking and hair loss—*baldness*.

Be Aware. *It can be hard to play sports if you use tobacco.* Smoking causes shortness of breath and dizziness, and chewing tobacco causes dehydration.

Think of Others. Anyone who smokes puts the health of friends and family at risk—more than 126 million nonsmoking Americans are exposed to secondhand smoke in homes, vehicles, workplaces, and public places. Every year, about 3,000 nonsmokers die from lung cancer due to secondhand smoke. There is no risk free level of secondhand smoke exposure; even brief exposures can be dangerous.

Get the Facts. Each day, nearly 4,400 young people between the ages of 12 and 17 start smoking. Many will suffer a long-term health consequence and roughly one-third of them will eventually die from a tobacco-related disease.

How Can You Tell if a Friend is Using Tobacco?

Sometimes it's tough to tell. But if your friend has one or more of the following warning signs, he or she may be regularly using tobacco:

- Wheezing
- Coughing
- Bad breath
- Smelly hair and clothes
- Yellow-stained teeth and fingers
- Frequent colds
- Decreased senses of smell and taste
- Difficulty keeping up with sports and athletic activities
- Bleeding gums (smokeless tobacco)
- Frequent mouth sores (smokeless tobacco).

What Can You Do To Help Someone Who Is Using Tobacco?

Be a real friend. Encourage your friend to quit. For information and referrals, call the National Clearinghouse for Alcohol and Drug Information at 800-729-6686. **Tobacco Facts – Why Tobacco-Cigarettes, Smokeless Tobacco, and Snuff damage your Health**

Tobacco affects your body's development. Smoking is particularly harmful for teens because your body is still growing and changing. The 200 Known poisons in cigarette smoke affect your normal development and can cause life-threatening diseases, such as chronic bronchitis, heart disease, and stroke.

Tobacco is Addictive. Cigarettes contain nicotine—a powerfully addictive substance. The younger a person starts smoking, the more likely he is to become strongly addicted to nicotine. Even though it is rare, addiction can occur after smoking as few as 100 cigarettes. Of the adult tobacco users, more than 80 percent report using tobacco regularly before age 18.

Tobacco can Kill You. Each year in the United States, cigarette smoking accounts for 440,000 deaths. More deaths are caused each year by tobacco than by all deaths from HIV, illegal drug use, alcohol use, motor vehicle injuries, suicides, and murder combined.

Before You Risk It...

Know the Law. It is illegal for anyone under 18 to buy cigarettes, smokeless tobacco, or tobacco-related products.

Stay Informed. Addiction to tobacco is hard to control. Young people often underestimate the addictiveness of tobacco and the effect of tobacco use on their health. Studies indicate that most teenage and young adult smokers want to quit and try to do so, but few succeed.

Keep your Edge. The poisons in cigarettes can affect your appearance. Tobacco stains teeth and nails and, also, dulls skin and hair. There's more! Research confirms smoking causes skin to age prematurely-wrinkles-and also links smoking and hair loss-baldness.

Be Aware. It can be hard to play sports if you use tobacco. Smoking causes shortness of breath and dizziness, and chewing tobacco causes dehydration.

Think of Others. Anyone who smokes puts the health of friends and family at risk-more than 126 million nonsmoking Americans are exposed to secondhand smoke in homes, vehicles, workplaces, and public places. Every year, about 3,000 nonsmokers die from lung cancer due to secondhand smoke. There is no risk free level of secondhand smoke exposure; even brief exposures can be dangerous.

Get the Facts. Each day, nearly 4,400 young people between the ages of 12 and 17 start smoking. Many will suffer a long-term health consequence and roughly one-third of them will eventually die from a tobacco-related disease.

How Can You Tell if a Friend is Using Tobacco?

Sometimes it's tough to tell. But if your friend has one or more of the following warning signs, he or she may be regularly using tobacco:

- Wheezing
- Coughing
- Bad breath
- Smelly hair and clothes
- Yellow-stained teeth and fingers
- Frequent colds
- Decreased senses of smell and taste
- Difficulty keeping up with sports and athletic activities
- Bleeding gums (smokeless tobacco)
- Frequent mouth sores (smokeless tobacco).

Source: www.ncadi.samhsa.gov

What Can You Do To Help Someone Who Is Using Tobacco?

Be a real friend. Encourage your friend to quit. For information and referrals, call the National Clearinghouse for Alcohol and Drug Information at 800-729-6686. In Lewis County, you can call Mountain View Prevention Services, at 315-376-2321, for information about the nearest tobacco cessation center.

